

```

CROSSTABS
  /TABLES=pengetahuan BY kepatuhan
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ RISK
  /CELLS=COUNT EXPECTED ROW COLUMN TOTAL

  /COUNT ROUND CELL.

```

Crosstabs

Notes		
Output Created		24-Feb-2018 20:52:32
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	91
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=pengetahuan BY kepatuhan /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT EXPECTED ROW COLUMN TOTAL /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.141
	Elapsed Time	00:00:00.102
	Dimensions Requested	2
	Cells Available	174762

[DataSet0]

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pengetahuan * kepatuhan	91	100.0%	0	.0%	91	100.0%

pengetahuan * kepatuhan Crosstabulation

			kepatuhan		Total
			tidak patuh	patuh	
pengetahuan	cukup	Count	48	6	54
		Expected Count	42.1	11.9	54.0
		% within pengetahuan	88.9%	11.1%	100.0%
		% within kepatuhan	67.6%	30.0%	59.3%
		% of Total	52.7%	6.6%	59.3%
	baik	Count	23	14	37
		Expected Count	28.9	8.1	37.0
		% within pengetahuan	62.2%	37.8%	100.0%
		% within kepatuhan	32.4%	70.0%	40.7%
		% of Total	25.3%	15.4%	40.7%
Total	Count	71	20	91	
	Expected Count	71.0	20.0	91.0	
	% within pengetahuan	78.0%	22.0%	100.0%	
	% within kepatuhan	100.0%	100.0%	100.0%	
	% of Total	78.0%	22.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)

Pearson Chi-Square	9.146 ^a	1	.002		
Continuity Correction ^b	7.654	1	.006		
Likelihood Ratio	9.091	1	.003		
Fisher's Exact Test				.004	.003
Linear-by-Linear Association	9.046	1	.003		
N of Valid Cases ^b	91				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8,13.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pengetahuan (cukup / baik)	4.870	1.657	14.308
For cohort kepatuhan = tidak patuh	1.430	1.093	1.870
For cohort kepatuhan = patuh	.294	.124	.694
N of Valid Cases	91		